

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Sri Mettukuru Muralikrishna, the then Deputy Executive Engineer, Irrigation Sub-Division, Guntur of Irrigation Division, Guntur - Allegations of irregularities in execution of work in "Neeru - Chettu Programme, Essential repairs to (Damaged gap portion) of Naguleru Katwa near Dachepalli (V) in Dachepalli (M) of Guntur District (Work No.03, Annexure-257) against him - Departmental proceedings under Rule 20 of the A.P. Civil Services (CC & A) Rules, 1991 - Articles of Charges - Issued.

WATER RESOURCES (VIGILANCE-III/A1) DEPARTMENT

G.O.Rt.No.288

Dated: 28.06.2023

ORDER:

It is proposed to hold an inquiry against Sri Mettukuru Muralikrishna, the then Deputy Executive Engineer, Irrigation Sub-Division, Guntur of Irrigation Division, Guntur in accordance with the procedure laid down in Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehaviour in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri M.Muralikrishna, Deputy Executive Engineer, is directed to submit a written statement of his defence, within 10 days of the receipt of this order and also state whether he desires to be heard in person.

4. Sri M.Muralikrishna, Deputy Executive Engineer, is informed that an inquiry will be held only in respect of those articles of charge which are not specifically admitted herein. He should, therefore, specifically admit or deny article of charge. He is further informed that adequate opportunity for perusal of records will be made available during the course of inquiry.

5. Sri M.Muralikrishna, Deputy Executive Engineer, is further informed that if he does not submit his Written Statement of Defence on or before the stipulated time, or does not appear in person before the disciplinary authority or otherwise fails or refuses to comply with the provisions of Rule 20 of the Andhra Pradesh Civil Services (CCA) Rules, 1991 or the orders/directions issued in pursuance of said rules, the inquiring authority may hold enquiry against him ex-prate.

6. Attention of Sri Mettukuru Muralikrishna, the then Deputy Executive Engineer, Irrigation Sub-Division, Guntur of Irrigation Division, Guntur is invited to Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri M.Muralikrishna, Deputy Executive Engineer is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the A.P.Civil Service (Conduct) Rules, 1964.

(P.T.O.)

::2::

7. The receipt of this order should be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S
Principal Secretary To Government

To,

Sri Mettukuru Muralikrishna, the then Deputy Executive Engineer, Irrigation Sub-Division, Guntur of Irrigation Division, Guntur (through the Engineer-in-Chief (AW), Water Resource Department, Vijayawada)

Copy to:

The Engineer-in-Chief (AW), Water Resources Department, Vijayawada (with a request to submit the dated acknowledgement of the individual to the Government without any delay)

Sf/Sc.

// FORWARDED::BY ORDER //

SECTION OFFICER